

ORION[★] RT50K

HIGH CAPACITY FORK LIFT TRUCKS

50,000 lbs. @ 36" load center



Orion RT50K 50,000 lbs. @ 36"

- Orion's quick-change attachment system
- Durable components, long dependable life.
- Smooth, controlled hydrostatic drive
- Made in Canada 🇨🇦



highreachinc.com

orionlifts.com


Component Weights:

Chassis w/forks & all ctwts: 64,260 lbs.
 Front: 30,940 lbs.
 Rear: 33,320 lbs.

Counterweights: 6,000 lbs. x 1 each
 Total Ctwts: 6,000 lbs.

Chassis w/o ctwts, w/forks: 58,260 lbs,
 Front: 30,940 lbs.
 Rear: 27,320 lbs.

Forklift Specifications






RT50K

50,000 lbs. @ 36" Load Center

Lift Height (clear):	132"	Overall Width:	101"
Free Lift:	0	Overall Length with Forks:	306.75"
Standard Forks dimensions:	96" x 10" x 4.5"	Wheelbase:	134"
Max distance between standard forks:	75.75"	Engine/Fuel:	Diesel
Max distance outside-to-outside forks:	95.75"	Hydrostatic Pump:	Danfoss
Min distance between forks:	4"	Gradeability:	20% loaded 50% unloaded
Travel Height:	143"	Tires Front:	48" x 25" Treaded Rubber
		Tires Rear:	45" x 12" Treaded Rubber

Forklift Specifications



Rated Forklift Capacities (lbs.)							
Load Center in Inches	24	36	48	60	72	84	96
0 CWT	49,250	41,370	35,660	31,340	27,950	24,570	21,500
1 CWT	60,330	50,680	43,000	34,400	28,670	24,570	21,500

*CAPACITIES RATED WITH MAST VERTICAL

ORION[★]

HIGH CAPACITY FORK LIFT TRUCKS

RT50K

ORION RT50K features:

- ✓ Rugged, durable construction, and long-life components.
- ✓ The Orion Quick Change Riggers' Boom is safer and faster to install AND it improves boom lifting capacities.
- ✓ Full-power fork locators align the forks where you need them, when you need them, effortlessly.
- ✓ Side-shifting carriage permits safer, faster, more accurate placement of big, heavy loads.
- ✓ Fully Enclosed Cabin with Heat/AC
- ✓ Diesel engine

Optional Equipment:

- ✓ Extra-long forks
- ✓ Coil prong or Coil forks
- ✓ Extra-wide/custom carriage
- ✓ AM/FM Radio



Operator's Station, Tilt Steering, Arm Rest Controls with Joystick



Colour-coded Quick Disconnect



Easy Engine Compartment Access



Rugged Terrain Tires



High Reach Inc., 480 Wyecroft Road, Oakville, Ontario, L6K 2G7 Canada
T: 905-844-4164 • www.highreachinc.com